

Wall Panels katalog



STR 4

Wall System katalog



STR 14

Hliníkové profily a lišty



STR 56



Rozdělení na skupiny


01	WPC wall panel	4
02	WPC Solid splicing board	6
03	Grille	8
04	HD Printing Panel	10
05	SPC Background Wall	12

01

WPC wall panel




Bend forward



Bend backwards

PRODUCT INFORMATION



Name	Material \ cross-section	Size(mm)	Process	Ep rating	Fire rating	Advantage	Splicing method
WPC wall panel	Crystal like co extruded layer+Bamboo charcoal fiber	Width: 1100 Length: 2800/ Customized length under 6000 Thickness: 5/8	PUR coating/ PUR flat sticker	ENF	B1	Eco-friendly/ Flame retardant/ waterproof/ bendable	Tight splicing/ metal profile connection/ process seam

02

WPC Solid splicing board






Bend forward



Bend backwards

TYPY ZÁMKŮ V DESKÁCH



Name	Material \ cross-section	Size(mm)	Process	Ep rating	Fire rating	Advantage	Splicing method
WPC Solid - splicing board	Crystal like coextruded layer+ Bamboo charcoal fiber	Width: 800/1100 Length: 2800/ Customized length under 3600 Thickness: 8	PUR coating	ENF	B1	Eco-friendly/ Flame retardant/ waterproof/ bendable	Process seam


03

Grille

Bamboo Charcoal Grille /
Bamboo Grille



BAMBOO CHARCOAL GRILLE








BAMBOO GRILLE






Bend forward

Bend backwards

BAMBOO GRILLE

Picture	Name	Cross-section	Size(mm)	Ep rating	Fire rating	Advantage
	170 bamboo and wood grating		Width: 170 Length: 3000 Thickness: 23.5	B1	E0	waterproof/ bendable
	100 arc grid		Width: 100 Length: 3000 Thickness: 19.5	B1	E0	waterproof/ bendable
	157 inner arc grille		Width: 157 Length: 3000 Thickness: 18.5	B1	E0	waterproof/ bendable
	150 arc grid		Width: 150 Length: 3000 Thickness: 15	B1	E0	waterproof/ bendable
	160 triangular grille		Width: 160 Length: 3000 Thickness: 15	B1	E0	waterproof/ bendable
	115 wave grating		Width: 115 Length: 3000 Thickness: 13	B1	E0	waterproof/ bendable
	95 stepped grille		Width: 95 Length: 3000 Thickness: 20	B1	E0	waterproof/ bendable

BAMBOO CHARCOAL GRILLE


Picture	Name	Cross-section	Size(mm)	Ep rating	Fire rating	Advantage
	153*24 solid grid		Width: 153 Length: 3000 Thickness: 24	B1	E0	waterproof
	110*18 solid grid		Width: 110 Length: 3000 Thickness: 18	B1	E0	waterproof
	120*9 solid grid		Width: 120 Length: 3000 Thickness: 9	B1	E0	waterproof
	70 Corrugated grating		Width: 70 Length: 3000/3600 Thickness: 15	B1	E0	waterproof
	40 Corrugated grating		Width: 40 Length: 3000/3600 Thickness: 15	B1	E0	waterproof

04

HD Printing Wall Panel




PRODUCT INFORMATION




Picture	Material \ cross-section	Size(mm)	Surface technology	Ep rating	Fire rating	Advantage	Splicing method
HD Printing Wall Panel 2.8m	WPC+PETG	Width: 1100 Length: 2800 Thickness: 5/8	Bright PETG Matte PETG	E0	B1	Wate proof & Bendable	Tight splicing/ metal profile splicing
HD Printing Wall Panel Custom Size	WPC+PETG	Width: Custom width within 1100 Length: Custom lengths within 2800 Thickness: 5/8	Bright PETG Matte PETG	E0	B1	Wate proof & Bendable	Tight splicing/ metal profile splicing

05

SPC Background Wall




PRODUCT INFORMATION




Picture	Material \ cross-section	size(mm)	Surface technology	Ep rating	Fire rating	Advantage	Splicing method
SPC background painting	SPC+PETG	Width: 1100 Length: 2800 Thickness: 5	Laser inking	E0	B1	Wate proof & Bendable	Tight splicing/ metal profile splicing




Nabídka zámků a panelů




Název: P-seam Solid splicing board
Materiál: Nanofiber powder
Šířka: 800/1100 (mm)
Výška: 2800 (mm)
Tloušťka: 8 mm
Hořlavost: B1
Parametry: waterproof / bendable




Název: V-seam Solid splicing board
Materiál: Nanofiber powder
Šířka: 800/1100 (mm)
Výška: 2800 (mm)
Tloušťka: 8 mm
Hořlavost: B1
Parametry: waterproof / bendable



Název: U-seam Solid splicing board
Materiál: Nanofiber powder
Šířka: 800/1100 (mm)
Výška: 2800 (mm)
Tloušťka: 8 mm
Hořlavost: B1
Parametry: waterproof / bendable



Název: Tight seam Solid splicing board
Materiál: Nanofiber powder
Šířka: 800/1100 (mm)
Výška: 2800 (mm)
Tloušťka: 8 mm
Hořlavost: B1
Parametry: waterproof / bendable



Název: WPC Double groove splicing board
Materiál: Bamboo charcoal fiber
Šířka: 800/1100 (mm)
Výška: 2800 (mm)
Tloušťka: 8 mm
Hořlavost: B1
Parametry: waterproof / bendable

ŠÍŘKA PANELŮ



DŘEVĚNÉ DEKORY



Dřevěné dekory



8006



81031



81033



81050



81051



8002



8066



81037



81032



8021



81017



8070



8007



8005



8008



81039



81041



81046



8058



81027



81003



8031



81009



81038

Dřevěné dekory



81026



81012



81024



81010



8011



8032



8025



81005



81007



80113



80115



81043



8022



8014



8004



8034



8059



81011



81045



8055



8036

Dřevěné dekory



81001



81002



81029



81030



81025



8037



81008



8045



81018



8018



8023



8035



81028



8009



8019



7001



7002



7005




7006


JEDNOBAREVNÉ DEKORY



Jednobarevné dekory




3021




3036




3001




3038




3040



3022



3041




3042




3037




3002



3023




3033



3092



3064



3026



3081



3015



3016

Jednobarevné dekory



31005




31002



31003



31006



31007




31009



3035




3062



3030




3082




3032




3029



3061




3083



3028



3063




3003



3065



Textilní dekory



6062



6063



6001



6003



6004



6005




6009



6061




6014



6065



6066



Kamenné dekory



5007



5004




5023



5018



5029



5003



5026



5010



5017



5020



51001



51003


WALL SYSTEM · wall panel





WALL SYSTEM · wall panel

TRIM PANEL



Název	WPC wall panel
Materiál	Nanofiber powder
Výška / šířka	1120 × 2440 (mm) 1120 × 2800 (mm) 1120 × Custom length (mm)
Síla	5 mm & 8 mm
Hustota	700 kg / m ³
Stupeň ochrany život. prostředí	ENFI
Požární klasifikace	B1
Provedení	Waterproof & bendable

PHYSICAL PHOTOS



Waterproof



Insect
prevention



Environmental
protection



Flame-
retardant



Šířka



Tvarování



**Vodotěsnost,
odolnost proti vlhkosti**


Návod na instalaci



- 1&4. Puttying and leveling
- 2. Apply structural adhesive on the back
- 3. Metal profile connection
- 5. Rough wall



- 1. Apply structural adhesive on the back
- 2. Metal profile connection
- 3. Puttying and leveling



Corner slotting and bending

- 1. Slotting of trimming machine
- 2. Hot air gun heating bending
- 3. Apply structural adhesive on the back of the wall panel



Apply structural adhesive on the back

METALICKÁ SÉRIE




VZORNÍK METALICKÝCH DEKORŮ



762



763



901



902



903



910



911



912



913



915




916



917



918



951



952



953

VZORNÍK METALICKÝCH DEKORŮ



311



312



701



702



703



704



705



706



707



708



710



711



712



713



715



721




722



723



724



751



752



753



754



756



761

VZORNÍK METALICKÝCH DEKORŮ



703



701



702



705



707



706



761



762



751




752




753




754




710




712



711



901



902

DŘEVĚNÁ SÉRIE



VZORNÍK DŘEVĚNÝCH DEKORŮ



VZORNÍK DŘEVĚNÝCH DEKORŮ



VZORNÍK DŘEVĚNÝCH DEKORŮ



VZORNÍK DŘEVĚNÝCH DEKORŮ



VZORNÍK DŘEVĚNÝCH DEKORŮ



8006




81031



81033



81050



81051



8002



8066



81037



81032



8021



81017



8070



8007



8005



8008



81039



81041



81046



8058



81027



81003



8031



81009



81038

VZORNÍK DŘEVĚNÝCH DEKORŮ



81001



81002



81029



81030



81025



8037



81008



8045



81018



8018



8023



8035



81028



8001




8009



8019



7001



7002



7005



7006

JEDNOBAREVNÁ SÉRIE



VZORNÍK JEDNOBAREVNÉHO DEKORU




VZORNÍK JEDNOBAREVNÉHO DEKORU




VZORNÍK JEDNOBAREVNÉHO DEKORU



VZORNÍK JEDNOBAREVNÉHO DEKORU



3021




3036




3001




3060




3038




3040




3022



3041




3042




3037




3002



3023



3033



3092



3064



3026



3017



3018



3081



3015



3016

VZORNÍK JEDNOBAREVNÉHO DEKORU



31005



31002



31003



31006



31007




31009




3035



3062



3030




3082




3032




3029




3061




3083



3028




3063



3003




3065





TEXTILNÍ SÉRIE



6062



6063



6001



6003



6004



6005




6009



6061



6014



6065



6066

TEXTILNÍ SÉRIE



TEXTILNÍ SÉRIE



6027



6028



6030



6031



6032



6033



6034



6035



6036



6061



6062



6063



6065



6066



6067



6068



6069



6070



6071



PVC / TEXTILNÍ SÉRIE



6027



6015



6016



6019



6021




6023



6024



6025



6029



6030



6032



6034



KAMENNÁ SÉRIE



5007




5004




5023



5018



5029



5003



5026



5010



5017



5020





51001



51003

KAMENNÁ SÉRIE




KAMENNÁ SÉRIE



5020



5023



5024



5025



5026



5028



5029



5030



5032



5033



5035



51001



51002



51003




51005



51006












51007







Hliníkové profily a lišty



Hliníkové profily a lišty na tloušťku 5 mm

Model name	Product Photo	Sectional View	Installation Drawing	Length (M/Piece)	color	Weight (KG/Piece)	Packing (PCS/CTN)	Price (\$/Piece)
5501				3 m	black	0,275 KG		
5502				3 m	black	0,24 KG		
5503				3 m	black	0,17 KG		
5504				3 m	black	0,17 KG		
5505				3 m	black	0,235 KG		
5507				3 m	black	0,67 KG		
5513				3 m	black	0,305 KG		
5521				3 m	black	0,354 KG		
TJ60-5				3 m	black	0,47 KG		








Hliníkové profily a lišty s LED podsvícením na tloušťku 5 mm

Model name	Product Photo	Sectional View	Installation Drawing	Length (M/Piece)	color	Weight (KG/Piece)	Packing (PCS/CTN)	Price (\$/Piece)
5510				3 m	black	0,247 KG		
5512				3 m	black	0,335 KG		
5506				3 m	black	0,77 KG		









Hliníkové profily a lišty s LED podsvícením na tloušťku 8 a 9 mm

Model name	Product Photo	Sectional View	Installation Drawing	Length (M/Piece)	color	Weight (KG/Piece)	Packing (PCS/CTN)	Price (\$/Piece)
750				3 m	black	0,66 KG		
DH137				3 m	black	0,55 KG		
D1023				3 m	black	0,332 KG		

Hliníkové profily a lišty na tloušťku 8 a 9 mm

Model name	Product Photo	Sectional View	Installation Drawing	Length (M/Piece)	color	Weight (KG/Piece)	Packing (PCS/CTN)	Price (\$/Piece)
8401				3 m	black	0,28 KG		
8402				3 m	black	0,275 KG		
H136				3 m	black	0,21 KG		
DH133				3 m	black	0,278 KG		
104-A				3 m	black	0,27 KG		
104-N				3 m	black	0,224 KG		
8405				3 m	black	0,225 KG		

Hliníkové profily a lišty na tloušťku 8 a 9 mm

Model name	Product Photo	Sectional View	Installation Drawing	Length (M/Piece)	color	Weight (KG/Piece)	Packing (PCS/CTN)	Price (\$/Piece)
106-A				3 m	black	0,35 KG		
207-A				3 m	black	0,41 KG		
A101				3 m	black	0,285 KG		
G96				3 m	black	0,746 KG		
TJ60-9				3 m	black	0,52 KG		
A118				3 m	black	0,352 KG		
A02				3 m	black	0,27 KG		



Česká republika
IČO: 07326602

Kontakt: +420 778 074 123

Kancelář: Plumlovská 53, 796 01 Prostějov

eshop@rychlarekonstrukce.cz

www.rychlarekonstrukce.cz